

ENTRANCE FLOOR MATS & GRIDS


COMMERCIAL & INDUSTRIAL MATTING SOLUTIONS

SHALLOW PIT FLOOR MATTING DEEP PIT FLOOR GRIDS

LOW PROFILE FLOOR GRIDS SOLID ARCHITECTURAL METAL FLOOR GRIDS & MATS

CLICK ENTRANCE MATTING MODULAR MATTING & TILES

SURFACE MOUNTED & RECESSED FLOOR MATS ENTRANCE & FLOOR MATS



www.b-sgroup.com Call Now : 021-62377221 PRODUCT CATALOGUE 2014

Backed by a hugely experienced nationwide installation operation, we also provide the most advanced entrance matting, refurbishment, programme in the industry.

B/S Group focuses on the development of a new concept of entrance matting systems. We offer a Variety of commercial entrance mats and custom logo mats for indoor and outdoor applications. Many of our products are made from recycled material. Our mats are ideal for all business , schools, restaurants, retail stores, offices, hospitals, hotels and more...

B/S Group designs and manufactures a comprehensive range of commercial entrance matting products.



SNO

 \bigcirc

 \bigcirc

 \bigcirc

Θ

 \bigcirc

 \bigcirc

2

 \odot

 \odot

 \bigcirc

 \bigcirc

D

0

AR

 \bigcirc

os AN

 \bigcirc

 \bigcirc

www.b-sgroup.com

sales@b-sgroup.com













Since 2000, B/S has focused on the design and manufacture of building material, offering solutions for Architectural, Structural and Decorative needs. B/S is dedicated to the environmental sustainability of buildings by providing innovative highly functional architectural materials and products while minimizing environmental impact.

We help meet the unique requirements of building material, providing you with solutions to questions such as:

How to help architects both functionally and aesthetically? How to minimize the cost of design, installation and maintainance?

How to fit the construction products in harmony with our living and working environment?

SELECTION GUIDES

B/S Metal Floor Grate Systems are semi open roll-up entrance mats which are ideal for high profile projects and are available in both shallow grid or deep grid models and are suitable for interior and exterior use. Dirt and moisture collect undernearth the grate surface to keep floors clean and reduce maintenance.

B/S entrance matting systems are available in serveral colours, styles and combinations.

B/S entrance matting is designed for internal or external use, entrance with high volume pedestrian traffic, safe for walking aids. wheelchairs and trolleys.

Category	Side Elevation	Features	Slip Resistanc (0-10)	e Scraper Mo (0-10)	oisture Remo (0-10)	oval Page
Entrance Mattin g Elegant		EM-Elegant is a grid matrix mat that has the ability to retain its elegant appearance whilst handling high v- olume traffic. The matting can be rolled up for cleani- ng and maintenance of the recess.	بر 9	9	9	05-06
Floor Gride Innovation		FG-Innovation is available in shallow grid, low profile or deep pit grid. Dirt and moisture collect underneath, the surface to keep floors clean and reduce maintenan- ce, and rails can be replaced without dismantling the er- tire grid system.	1	8	9	07-08
Floor Matting Classic		FM- Classic can be specified in any arrangement of rubber rib, nylon brush, cassette fibre bonded or tuffed nylon insert strips for a versatile finish from outdoor areas through to interior applications.	*	8	9	09-10
Floor Mats Low Profile		FM-Low Profile is an entrance mat without towropes or connectors, allows to cut the profiles in the place of installation, if necessary and to make appropriate adaptaions.	ال م ۲	6	5	11-12
Metal Entry Grating Luxurious		Metal gratings for commercial or industrial entrances that are made of aluminum or stainless steel without any carpeted or vinyl inserts.	* 8	7	7	13-14
Click Entrance Mattign DIY		CEM-DIY is an entrance matting system composed of aluminum profiles with a carpet, plastic or brushes in- sert with the possiblility of choosing between several colors.		7	6	15-16
Modular Mattin Design	S S S S S S S S S S S S S S S S S S S	MM-Design modular and interlocking matting trap dir at the door. These snap-together mats aggressively clear dirt and moisture from guest's shoes. These flooring pr ducts are also easy to install, each piece fits together to create a truly "seamless" finish.	1 70-	7	8	17-18
Barrier Matting Tiles Popular		BMT-Popular, easy to install modular tile for recessed well application. High performance, flexible tiles with a vinyl base and dual fibre carpet strips scrape, remove and capture dirt and moisture.	* 9	8	8	19-20

SELECTION GUIDES

B/S mat and floor products proudly represent the finest in commercial and industrial mats, and floor covering products in the marketplace.


Our expansive selection of flooring products includes custom logo mats, entrance matting, runners, and wet umbrella bag stands to help business achieve long term property preservation as well as enhanced visitor and worker safety.

B/S mat and floor products celebrates over 10 years in the commercial matting and floor industry providing expertise in stallation.

Category/Page	Image / Application	Category/Page	Image / Application	Category/Page	Image / Application
LOGO Mats 21	Benthetik Spinestites A	Entrance Mats 21		Carpet Mats 21	
Logo Mats can be customized and name and logo and an excellent a	d personalised with your company advertisment.		nd walk-off mats are the best ally in clean and safe, reducing maintena-	Carpet Mats combine the classic the function and durability of hig	look of an upscale oriental rug with gh performance entrance mat.
Floor Runner 21		Rubber Mats		Anti-Static Mats	
Floor runners are often used for s commercial application.	safety cleaning and decor in different	All Rubber Matting is comprised c mats, antifatigue mats, gym mats	of all types of mats, entrance runner all pure rubber.	Anti-Static Mats are designed to quickly drawing the static off wo chemicals or apparatus.	protect sensitive equipment by rkers before they touch susceptible
Interlocking Mats		Kitchen Mats 22		Gym Mats 22	
Interlocking Mats and Tiles also k easy setup, take-up and reconfig ducts. Modular matting is ideal fo show booths and construction re	uration of numerous matting pro- or temporary fitness flooring trad	Kitchen Floor Mats are especially perties wherever is needed. Kitchen Floor Mats are popular in restaurants.etc.		selection of gym mats include si	nd appeal to exercise areas. Our ngle rubber, rubber mats rolls, inter- he particular need we have the gym
Bathroom Mats 22		Chair Mats 22		Safety Floor 22	
Bathroom Mats, including urinal keep restroom facilities dry, clean	mats and toilet mats and sink mats, a and looking professional.	Chair Mats are perfect for protect come from sliding chairs in and or		B/S mats supplies safety rubber floor application at affordable pr	and foam floor for a wide range of ices.

Entrance Matting

Elegant...



EMES EM-Elegant is a grid matrix mat that has the ability to retain its elegant appearance whilst handling high volume traffic due to the collection grid layout that channels the debris down beneath the contact surface.

The matting can be rolled up for cleaning and maintenance of the recess. Built on a platform of high sepcification extruded aluminum treads, the matting is assembled by means of a PVC hinge which features an integral damper strip.

Product Features

- Structure: Aluminum 6063-T5 (anodized).
- Tread Insert: Carpet, Abrasive, Vinyl, Serated, Wood, Rubber.
- Color:Custom by customer.
- Aluminum thickness:2.5mm or custom by customer.
- Height:20mm.
- Profile width: 34mm.
- Rolling Load: 1000kg/M2-2000kg/M2 without distortion.
- Available accessories: Framing profiles and corner pieces.
- Cost index:50

Tread Options

Light Grey (EMELG-101)

Light Cyan (EMELC-102)

Dark Grey (EMEDG-103)

Chocolate (EMEC-105)

Serrated (EMES-106)


Vinyl (EMEV-107)

Case Photo


Red (EMER-104)

 Application: Outdoor, Indoor, Business, School, Restaurants, Retail Stores, Offices, Hospitals, Hotels and more.






Model Options




Installation Condition

Surface Mounted Aluminum Frame



• Recessed Right Angle Frame



Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly.

ES Tel:021-62377221 Toll Free: 4006-030113 Copyright @B/S 2014

6

Commercial & Industrial Matting Solutions



Product Features

- Structure: Aluminum 6063-T5 (anodized).
- Tread Insert: Carpet, Abrasive, Vinyl, Serated, Wood, Rubber.
- Color:Custom by customer.
- Aluminum thickness:2.5mm or custom by customer. Height:40mm.
- Profile width: 35mm.
- Rolling Load: Maximum 2000kg/m2 (4 wheels) without damage to grid.
- Available accessories: Framing profiles and corner pieces.
- Cost index:70

Tread Options Light Grey (FGLG-201)

Light Cyan (FGILC-202)

Dark Grey (FGIDG-203)

Red (FGIR-204)

Chocolate (FGIC-205)


Serrated (FGIS-206)

Vinyl (FGIV-207)

 Application: Outdoor, Indoor, Business, School, Restaurants, Retail Stores, Offices, Hospitals, Hotels and more.




Product Profile




• Maximum dimensions(1 unit): 6 metres wide, and without limits in the walking direction.

Model Opt




Installation Condition

Recessed Level Base Frame





Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly.



Entrance Flooring Classic

IT-Classic Systems are primary entrance matting system which can be produced to any shape or size and are available in several colours, styles and combinations. The open design allows matting to conceal grit, dirt and moisture, while maintaining an excellent appearance over its lifetime. INF-Classic Systems are designed for internal or external use, entrances with high

NF-Classic Systems are designed for internal or external use, entrances with high volume pedestrian traffic, sale for walking aids, wheelchairs, trolleys.

• Color:Custom by customer.

Rubber.

Height:17mm.Profile width: 27mm.

damage to grid.

• Cost index:70

• Structure: Aluminum 6063-T5 (anodized).

• Tread Insert: Carpet, Abrasive, Vinyl, Serated, Wood,

• Aluminum thickness:2.5mm or custom by customer.


• Rolling Load: Maximum 2000kg/m2 (4 wheels) without

• Available accessories: Framing profiles and corner pieces.

• Application: Outdoor, Indoor, Business, School, Restaurants,

Retail Stores, Offices, Hospitals, Hotels and more.

Product Profile




• Maximum dimensions(1 unit): 6 metres wide, and without limits in the walking direction.

Model Option



Installation Condition

Recessed Right Angle Frame



Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly

10

Tread Ontions

Castle Gray

Red

Marble Gray



Light Gray



Brown







Product Features

- Structure:Aluminum 6063-T5 (anodized).
- Tread Insert: Carpet, Abrasive, Vinyl, Serated, Wood, Rubber.
- Color:Custom by customer.
- Aluminum thickness:1-2.5mm or custom by customer.
- Height:9mm.
- Profile width: 32mm.
- Rolling Load: Maximum 1000kg/m2 (4 wheels) without damage to grid.
- Available accessories: Framing profiles and corner pieces.
- Cost index:30

Tread Options

Ember Red

Black

Blue

Leopard

Gray


Red

Castle Gray

• Application: Outdoor, Indoor, Business, School, Restaurants, Retail Stores, Offices, Hospitals, Hotels and more.







• Maximum dimensions(1 unit): 6 metres wide, and without limits in the walking direction.

Model Options




Case Photo




Installation Condition

• Recessed Level Base Frame



• Place the self-adhesive black foam strips paralel to each other approx 30cm apart with the adhesive part facing upwards. Peel off the protective paper a few centimetres.



Metal gratings for commercial or industrial entrances that are made out of aluminum or stainless steel without any carpeted or vinyl insert. These products are for very high traffic areas or where inserts are not necessary or practical.

Each grate is made to order so lead time will apply but they are highly customizable so they will be perfect for your application.

BS Building Specialties

Product Features

- Structure:Aluminum 6063-T5 (anodized)/ Stainless Steel(304)/ Bronze.
- Tread Insert: Carpet Color:Custom by customer.
- Material thickness:1-9mm or custom by customer.
- Height:9-30mm.
- Profile width: 2-9mm.
- Rolling Load: Maximum 2000kg/m2 (4 wheels) without damage to grid.
- Available accessories: Framing profiles and corner pieces.
- Cost index:90

Model Options Stainless Steel

Stainless Steel

Aluminum

Aluminum

Bronze

• Application: Outdoor, Indoor, Business, School, Restaurants, Retail Stores, Offices, Hospitals, Hotels and more.

steel

steel

vells

MEGL-I-SS501

MEGL-SS502

for recessed mat wells

MEGL-AL503


MEGL-AL504

MEGL-BR505

128mm _3mm Carpet Insert mm ∇ ∇ 16mm ł Stainless Steel Pan


• Stainless steel material: Satin finished type 304/ Aluminum(6063-T5)/ Bronze

Side Elevation





- **Installation Condition**
- Recessed Right Angle Frame



• The bed surface must be smooth and flat to ensure peoper grid installation, alignment and to prevent tripping hazards.

Commercial & Industrial Matting Solutions

Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly.

Click Entrance Mats

Do It Yourself

CEMBE

CEMCG

The click entrance matting system composed of aluminium profiles and textile, plastic or brush inserts, with the choice of serveral colors.

Its system of assembly, without linking wires or connectors, allows the cutting of profiles on the site of installation, if necessary, and to make the appropriate adaptations. CEMR The system can be installed anywhere: from houses to public buildings, offices, hotels, restaurants, industrial facilities, banks or shops. It is suitable for heavy traffic and the harshest conditions.

Product Features

- Structure: Aluminum 6063-T5 (anodized).
- Tread Insert: Carpet, Abrasive, Vinyl, Serated, Wood, Rubber.
- Color:Custom by customer.
- Aluminum thickness:1-2.5mm or custom by customer.
- Height:9mm.
- Profile width: 31mm.
- Rolling Load: Maximum 1000kg/m2 (4 wheels) without damage to grid.
- Available accessories: Framing profiles and corner pieces.
- Cost index:50

Tread Options

Ember Red

Black

Blue

Leopard

Gray


Red

Castle Gray

• Application: Outdoor, Indoor, Business, School, Restaurants, Retail Stores, Offices, Hospitals, Hotels and more.







• Click Entrance Matting system composed of alumininum profiles and textile, plastic or brush inserts, with the choice of several colors.

Model Options




Case Photo



Installation Condition

Recessed Level Base Frame



• Its system of assembly, without linking wires or connectors, allows the cutting of profiles on site of installation, if necessary, and to make the appropriate adaptations.

Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly.

ES Tel:021-62377221 Toll Free: 4006-030113 Copyright © B/S 2014

Modular Matting

Interlocking Tile

MMI-71

MMI-73

Easy to install modular tile for recessed well appliacation. High performance, flexible tiles with a vinyl base and dual fiber carpet strips scrape, remove and capture dirt and moistrue. Resistance to milden and UV aging.

Resistance to mildew and UV aging. Tiles snap together and can be cut for a custom fit. Grooves in the vinyl base are large enough to effectively trap and hold dirt, but small enough to prevent high heels from getting stuck. MMI-72

Product Features


- Modular matting for fit any size area.
- Easy to install.
- Brushes shoes clean of sand, dirt, slush.
- Open Grid drains away water and debris.
- Choose tile and carpet colors combinations.
- Use tuft stuff in power alley center and less expensive
- Non-carpet tile arround perimeters.
- No metal raffle-free, all PVC material.
- Use in recessed areas or directly on the surface.
- Beveled edge ramps availble.Tile size: 15mm*15mm.
- The size: 15mm*15mm.
 Deafile till

Brush strip Options


• Profile tile matting is available in 30mm thickness.


Commercial & Industrial Matting Solutions

Product Profile



Model Options





Installation Condition

Recessed Level Base Frame



- Begin placing the tiles into the top left corner of the recessed well with the pegs along the top and right edges of tile.
- The tiles should be installed from left to right and top to bottom. Lay the first row of tiles.
- Trim the tiles edges with a utility knife if there are excess pegs or holes when the installation is complete.

Barrier Matting Tiles

Modular Format

Offering all the performance and durability of BMT tiles, BMT tiles also incorporates Mono and Multifilament Nylon 6.6 barrier carpeting inserts to offer a complete, scrape nad dry matting solution. Fully interchangeable, Obex prior and Obex forma can together create a tailored entrance matting system offering virtually any levels of cleaning and moisture control.

BMT-803


BMT-801

BMT-802


Specify Model: BMT-801



Specify Model: BMT-802



Specify Model: BMT-803



Product Profile

- High performance, flexible tiles with a vinyl base and dual-fiber carpet strips scrape, remove and capture dirt and moisture.
- > Modular matting to fit any size area.
- > Easy to install. easy to replace carpet squares.
- > Brushes shoes clean of sand, dirt, slush.
- > Open grid drains away water and debris.
- > Choose tile and carpet clolors combinations.
- > Use tuft stuff in power alley center and less expensive non-carpet tile around perimeters.
- > No metal raffle-free, all PVC material.
- ➤ Use in recessed areas, or directly on the surface.
 - ➤ Two profiles 10mm and 15mm.
 - ➤ Beveled edge ramps available.
 - > Vinyle tile base with/ without carpet strips for recessed well applications.
 - > Designed for medium traffic conditions up to 500,000 people/ year.
 - ➤ Rsistance to mildew and UV aging.

Product Specifications


- Tile Size:
- 200mm X 200mm X 10mm Interlocking Tiles and 80mm X 200mm edge ramps. 250mm X 250mm X 15mm Interlocking Tilses and 100mm X 250mm edge ramps.
- Material:
 - 100% recycled PVC plastic.
- Water Resistance: Color and tensile strength not affected by heat, cold or sunlight.
- Chemical Resistance: Resistant to oils, solvents, acids and many other chemicals.
- Additives:
 - UV stabilizer, fungus, inhibitor.
- Color Available:
- Pool Blue, Blue, Teal, Green, Gray, Black, Yellow, Orange, Red, Tan, Brown, White, Forest Green, Peach, Taupe, Burgundy, Dard Gray.
- Ideal For use in:
- Retail Stores, Government Buildings, Sports Complexes, Banks, Office Buildings, Schools, Power Alleys, Restaurants, Hotel, Factories, Groceries, Hospital and homes, etc.

Installation

Easy to install




- > Tiles snap together and can be cut for a custom fit.
- > When installed correctly, it will not rock or lift, and will provide a safe trip-free and effecient dirt barrier protection.



Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly.

ES Tel:021-62377221 Toll Free: 4006-030113 Copyright © B/S 2014

Product Image













Features

B/S interlocking floor mats are more affordable and easier to install and replace than any other floor matting option. Our interlocking rubber matting is available in at low affordable prices. giving you long-term protection and cost-effective saftety where it's needed most.

B/S interlocking floor mats are also available in thicker gauges, offering greater floor protection and cushion than rolled rubber mats. Increase comfort and impact absorption in home or commercial gyms, basements, garages, and other areas that see heavy equipment and abrasive conditions.

B/S commercial kitchen floor mats are designed to comfort and safeguard hard-working staff in commercial kitchens and other foodservice areas.

Dealing with slippery floors, spills, and messes are potential dangers in every food processing facility. Food service floors often come into contact with spilled water, greases, and oils, leading to slick floor areas.

Our commercial kitchen floor mats, provide natural slip resistance and drainage, many of our 100% Nitrile rubber mats are incredibly durable and grease-resistant.

Gym mats are a must for exercise rooms, gymnasiums, and recreational facilities. gym matting preserves both the facility as well as the individuals who use it.

Rubber gym matting is particularly very effective in absorbing shock. This reduces the likelihood that damaged may result from the momentum generated by machines and weights.

We also carry a variety of gym floor tiles that are great for use in commercial facilities. B/S mat also offers gym mat rolls for facilities with large floor spaces to cover.

B/S safety mats reduce accidents and injuries caused by slips and falls. Our safety mats provide a durable, non-slip surface and are available in various shapes and sizes, improving the flow of foot traffic and increasing safety.

Our safety flooring is a precautionary means in areas that may be affected by moisture. By getting rid of slippery surface and pre-empting serious accidents, you reduce long-term liability concerns. Our safety floor mat line is durable indoor or outdoor. These mats are designed to improve grip, regardless of moisture or weather exposure.

Model Options

- **Comfort Drainage Mats**
- Duragrid Deck Matting Manutilus Pool Matting •
- Rubber Draingage Mats
- Versa Runner Mats .
- Vinyl Mesh Entrance Mats

Restaurant Kitchen Mats •

- **Restaurant Premier Kitchen Mat Tile**
- Rubber drainage Kitchen Mats • Comfort Zone Kitchen Mats
- Versa Runner Kitchen Mats
- ٠ Cushion Ease Kitchen Mat Tiles
- **Buffalo Gym Mats**
- Everlast Gym Mats
- Softfloor interlocking Tiles
- Large yoga Mats
- Mega Lock Rubber Gym Tiles
- Carpeted Gym Floor Sticky Mats

Leisure Centres

- Martial Art Centres
- . **Climbing Centres**
- Schools
- Colleges and Universities Early Learning/Nurseries

Bathroom mats keep restroom facilities clean, safe, and odor-free. Investing in restromm mats shows patrons that you value their comfort, health, and safety in the most intimate of spaces.

Non-slip matting also controls water accumulation that is common in restroom facilities and may cause dangerous conditions.

Our restroom matting products are designed with hygiene in mind. They keep facilities clean by absorbing water and killing bacteria.

- Bathroom Sink Mats Bathroom Toilet Mats
- ٠
- **Bathroom Vrinal Mats**
- Disposable Hygienic Toilet Mats
- Designstep Disposable Virnal mats .
- Anti-Microbial FLoor Mats .

B/S office chair mats provide protection for flooring and ease of movement around work areas. A wide variety of styles are available to suit your particular need.


There are chair mats available in different sizes to help accommodate the different sizes of desks and tables

- Anti-Static Desk Chair Mats
- Premium Black Chair Mats .
- Carpeted Surfaces .
- Hard Surfaces
- Eco Friendly Chair Mats • Wood chair Mats

Standard CAD details are available online at www.b-sgroup.com. For application specific CAD details contact B/S directly.

BS Tel:021-62377221 Toll Free: 4006-030113 Copyright © B/S 2014

PRODUCT FAMILY



Expansion Joint Systems



Wall & Corner Protecti



Spacial 1





Ceiling & Parti



Floor Mats










Ceramics



Building Hardware



Tel :021-62377221 Fax:021-62251210 Toll Free:4006-030113 www.b-sgroup.com sales@b-sgroup.com

Add: Room2102, No595, WuDing Rood, JingAn District, Shanghai, China.